



2020

CATALOG



gemini

WWW.GEMINISOUND.COM



WELCOME

At Gemini Sound, our goal is to design innovative products that offer value in the DJ and Pro Audio Markets. Since 1974, we have evolved and thrived by understanding the needs of our customers and recognizing industry trends.



TABLE OF CONTENTS

PRO AUDIO

4	MODULAR LINE ARRAYS
6	POWERED SPEAKERS
10	POWERED SUBWOOFERS
12	PA SYSTEMS
14	PORTABLE PA SYSTEMS
15	KARAOKE
16	AUDIO MIXERS
18	AMPLIFIERS
19	WIRELESS SYSTEMS & ACCESSORIES
24	STANDS

DJ

27	SOFTWARE
28	MEDIA PLAYERS
34	TURNTABLES
36	MIXERS
39	CONTROLLERS
40	HEADPHONES

CONSUMER

42	SPEAKER PACKAGES
43	SPEAKER SYSTEMS
44	PORTABLE SPEAKERS
47	KARAOKE SYSTEMS
49	DJ SYSTEMS
50	HOME BLUETOOTH SPEAKERS
52	PARTY SYSTEMS
55	RECORD PLAYERS

WRX-843

FEATURES

- Ultra-Portable and Flexible Modular Column and Sub-woofer breaks down into 4 easy-to-carry sections
- 1,200 Watts of peak power / 600 Watts of continuous power
- 500 Watts Class D Digital Bass Power plus 100W low distortion high frequency array power
- Play your music from any compatible mobile device with Bluetooth Streaming
- 8" High Excursion Subwoofer with large 2" high-temperature voice coil with an Extensive Built-in Mixer
- Includes Mix Output, EQ Controls and Reverb Effect – perfect for artists and performers

CARACTERÍSTICAS

- La columna modular ultraportátil y flexible y el subwoofer se dividen en 4 secciones fáciles de transportar
- 1,200 Watts de potencia máxima / 600 Watts de potencia continua
- 500 Watts de potencia de graves digitales de clase D más 100 Watts de potencia de matriz de alta frecuencia de baja distorsión pura alta y baja
- Reproduzca su música desde cualquier dispositivo móvil compatible con Bluetooth Streaming
- Subwoofer de alta excusión de 8" con gran bobina móvil de 2" de alta temperatura con un amplio mezclador incorporado
- Incluye salida de mezcla, controles de ecualización y efecto de reverberación, perfecto para artistas e intérpretes



WRX BAG
(ACCESSORY AVAILABLE)





WRX-900TOGO

FEATURES

- Powered by a rechargeable battery that gives up to 6 awesome hours of high-performing wireless playtime
- 800 Watts of peak power / 400 Watts of continuous power
- 300 Watts Class D Digital Bass Power plus 100W low distortion high frequency array power
- Play your music from any compatible mobile device with Bluetooth Streaming
- 8" High Excursion Subwoofer with large 2" high-temperature voice coil with an Extensive Built-in Mixer
- Includes Mix Output, EQ Controls and Reverb Effect – perfect for artists and performers



CARACTERÍSTICAS

- Alimentado por una batería recargable que brinda hasta 6 horas increíbles de tiempo de reproducción inalámbrico de alto rendimiento
- 800 Watts de potencia máxima / 400 Watts de potencia continua
- 300 Watts de potencia de graves digitales de clase D más 100 Watts de potencia de matriz de alta frecuencia de baja distorsión
- Reproduzca su música desde cualquier dispositivo móvil compatible con Bluetooth Streaming
- Subwoofer de alta excursión de 8" con gran bobina móvil de 2" de alta temperatura con un amplio mezclador incorporado
- Incluye salida de mezcla, controles de ecualización y efecto de reverberación, perfecto para artistas e intérpretes.



MPA-3600

FEATURES

- All-in-one Portable PA system, perfect for musicians performing outdoors, backyard parties, or any outdoor gigs.
- Efficient clean class D amp pumping out 160 Watts of total power while beat-synced party lights set the mood
- USB and Bluetooth Streaming, 1/8" auxiliary input, and two 1/4" / XLR mic/line/instrument inputs with individual volume controls
- Battery Life: up to 30 hours of continuous use

CARACTERÍSTICAS

- Sistema de PA portátil todo en uno, perfecto para músicos que tocan al aire libre, fiestas en el patio trasero o cualquier concierto al aire libre.
- Amplificador de clase D limpio y eficiente que bombea 160 vatios de potencia total mientras las luces de fiesta sincronizadas con el ritmo crean el ambiente
- Transmisión USB y Bluetooth, entrada auxiliar de 1/8" y dos entradas de micrófono / línea / instrumento de 1/4" / XLR con controles de volumen individuales
- Duración de la batería: hasta 30 horas de uso continuo





GD-115BT

FEATURES

- 1000W peak (700W LF + 300W HF)
500W continuous RMS (350W LF + 150W HF)
- High efficiency Class-D amplifiers delivering enormous power and is incredibly quiet
- Powerful 15-inch deep bass woofer with high-temperature voice coil
- 1" (25 mm) Aluminum-diaphragm high frequency compression driver
- Bluetooth® wireless streaming with stereo pairing
- Integrated 3-channel mixer, Bluetooth® with dual XLR, 1/4" mic/line, RCA, AUX inputs, each channel with independent level controls and clip LED, master level with bass and treble. XLR output
- Versatile enclosure allows different positioning – stand-mountable or tilt on edge for wedge monitor

CARACTERÍSTICAS

- Pico de 1000 W (700 W LF + 300 W HF)
500 W RMS continuo (350 W LF + 150 W HF)
- Amplificadores de clase D de alta eficiencia que ofrecen una potencia enorme e increíblemente silenciosos
- Potente woofer de graves profundos de 15 pulgadas con bobina móvil de alta temperatura
- Controlador de compresión de alta frecuencia con diafragma de aluminio de 1" (25 mm)
- Transmisión inalámbrica Bluetooth® con emparejamiento estéreo
- Mezclador integrado de 3 canales, Bluetooth® con XLR dual, entradas de micrófono / línea de 1/4", RCA, AUX, cada canal con controles de nivel independientes y LED de clip, nivel maestro con graves y agudos. Salida XLR
- La carcasa versátil permite diferentes posiciones: puede montarse en un soporte o inclinarse en el borde para el monitor de cuña.



GD-L115BT

FEATURES

- 1000W peak (700W LF + 300W HF)
500W continuous RMS (350W LF + 150W HF)
- Adjustable Beat Synced Party Lights
- High efficiency Class-D amplifiers delivering enormous power and incredibly quiet
- Powerful 15-inch deep bass woofer with high-temperature voice coil
- 1" (25 mm) Aluminum-diaphragm high frequency compression driver
- Bluetooth® wireless streaming with stereo pairing
- Integrated 3-channel mixer, Bluetooth® with dual XLR, 1/4" mic/line, RCA, AUX inputs, each channel with independent level controls and clip LED, master level with bass and treble. XLR output
- Versatile enclosure allows different positioning – stand-mountable or tilt on edge for wedge monitor

CARACTERÍSTICAS

- Pico de 1000 W (700 W LF + 300 W HF)
500 W RMS continuo (350 W LF + 150 W HF)
- Luces de fiesta sincronizadas con ritmo ajustable
- Amplificadores de clase D de alta eficiencia que ofrecen una potencia enorme e increíblemente silenciosos
- Potente woofer de graves profundos de 15 pulgadas con bobina móvil de alta temperatura
- Controlador de compresión de alta frecuencia con diafragma de aluminio de 1" (25 mm)
- Transmisión inalámbrica Bluetooth® con emparejamiento estéreo
- Mezclador integrado de 3 canales, Bluetooth® con XLR dual, entradas de micrófono / línea de 1/4", RCA, AUX, cada canal con controles de nivel independientes y LED de clip, nivel maestro con graves y agudos. Salida XLR
- La carcasa versátil permite diferentes posiciones: puede montarse en un soporte o inclinarse en el borde para el monitor de cuña.





GSP-L2200PK

FEATURES

- 5 Unique Party Light Modes
- 2,200 Watts Peak Power
- 15" High Excursion Woofer with 3.5" horn tweeter
- Bluetooth Stereo Pairing Between 2 GSP-L2200PK
- Bluetooth, SD, USB and FM Radio
- Customizable Sound with Bass and Treble Control
- XLR, RCA & AUX Inputs
- 1 Built-in Outlet
- Built-in Trolley Handle and Wheels
- Speaker Stand and Wired Microphone Included

CARACTERÍSTICAS

- Potencia máxima de 2200 vatios
- Woofer de alta excusión de 15" con tweeter de bocina de 3,5"
- Emparejamiento estéreo Bluetooth entre 2 GSP-L2200PK
- Bluetooth, SD, USB y radio FM
- Sonido personalizable con control de graves y agudos
- Entradas XLR, RCA y AUX
- 1 salida incorporada
- Asa y ruedas integradas
- Soporte de altavoz y micrófono con cable incluidos



GSP-2200


FEATURES

- 2,200 Watts Peak Power
- 15" High Excursion Woofer with 3.5" horn tweeter
- Bluetooth Stereo Pairing Between 2 GSP-2200
- Bluetooth, SD, USB and FM Radio
- Customizable Sound with Bass and Treble Control
- XLR, RCA & AUX Inputs
- 1 Built-in Outlet
- Built-in Trolley Handle and Wheels
- Wired Microphone Included

CARACTERÍSTICAS

- 2.200 vatios de potencia máxima
- Woofer de alta excusión de 15" con tweeter de bocina de 3,5"
- Emparejamiento estéreo Bluetooth entre 2 GSP-2200
- Bluetooth, SD, USB y radio FM
- Sonido personalizable con control de graves y agudos
- Entradas XLR, RCA y AUX
- 1 salida incorporada
- Asa y ruedas integradas
- Micrófono con cable incluido





AS-BLU SERIES

FEATURES

The world's your stage with our AS-BLU speaker series powered with our high-performance systems that define Gemini speakers. Our team has engineered a speaker system that delivers stadium-quality performance in a backpack-sized package. Backed by Class AB amplifiers and custom-matched woofers, the speakers are meticulously tuned for deep, rich, stereophonic sound with absolutely no distortion. You can play all the popular streaming devices – USB drive, SD card, FM radio, and by connecting via Bluetooth – for powering all your entertainment. With our AS-BLU Series, we've paid attention to the smallest of details and we guarantee you'll hear deep roomy bass and crystal-clear linear sound reproduction.

CARACTERÍSTICAS

El mundo es tu escenario con nuestra serie de altavoces AS-BLU alimentados con nuestros sistemas de alto rendimiento que definen los altavoces Gemini. Nuestro equipo ha diseñado un sistema de altavoces que ofrece un rendimiento de calidad de estadio en un paquete del tamaño de una mochila. Resaldados por amplificadores de clase AB y woofers personalizados, los altavoces están meticulosamente afinados para un sonido estereofónico rico y profundo sin absolutamente ninguna distorsión. Puede reproducir todos los dispositivos de transmisión populares (unidad USB, tarjeta SD, radio FM y conectándose a través de Bluetooth) para alimentar todo su entretenimiento. Con nuestra serie AS-BLU, hemos prestado atención a los detalles más pequeños y le garantizamos que escuchará unos graves profundos y amplios y una reproducción de sonido lineal nítida.



AS-15BLU Shown

FEATURES

AS-15BLU

AS-12BLU

AS-10BLU

AS-08BLU

Peak Power	2000W	1500W	1000W	500W
AMP Type	Class AB	Class AB	Class AB	Class AB
System Impedance	4 Ohms	4 Ohms	4 Ohms	4 Ohms
Woofer	15" with 2" Voice Coil	12" with 2" Voice Coil	10" with 1.2" Voice Coil	8" with 1" Voice Coil
Tweeter	1" Compression	1" Compression	1" Compression	1" Compression
Frequency Response	25Hz-20KHz	35Hz-20KHz	45Hz-19KHz	50Hz-19KHz
Mounting	Flyable and stand mountable	Flyable and stand mountable	Flyable and stand mountable	Flyable and stand mountable
Shipping Dimensions	19.09×15.75×29.25" (485×400×743mm)	16.54×13.43×24.72" (420×341×628 mm)	13.98×11.62×21.46" (355×295×545 mm)	11.61×9.65×17.13" (295×245×435 mm)
Gross Weight	39.68 Lbs/18Kg	27.84 Lbs/12.63Kg	20.51 Lbs / 9.30Kg	15.43 Lbs/7Kg



AS-215BLU-LT

FEATURES

- Integrated MP3 player with connections for USB, SD, and Bluetooth
- 2-way high power active PA speaker
- 3000W Bi-Amped AB Class System
- Impedance 4 ohms
- Double 15" LF Woofer with 2" Voice Coil
- Pure Titanium 1" HF compression driver
- Linear frequency response between 50Hz-20KHz
- Wide dispersion horn with forward firing bass reflex ports
- ABS impact resistant nylon fiber cabinet
- Top and side handles for easy carrying
- 2 Input channels with separate gain control
- 1 XLR and 1 1/4" Mic inputs
- 1 XLR, 1 RCA and 1 1/8" Line inputs.
- Mix Output
- High and Low equalization controls
- Clip LED Alert
- Flyable & Stand mountable

CARACTERÍSTICAS

- Reproductor de MP3 integrado con conexiones para USB, SD y Bluetooth
- Altavoz PA activo de 2 vías de alta potencia
- Sistema de clase AB biamplificado de 3000 W
- Impedancia 4 ohmios
- Woofer LF doble de 15" con bobina móvil de 2"
- Driver de compresión de titanio puro de 1" HF
- Respuesta de frecuencia lineal entre 50Hz-20 kHz
- Bocina de dispersión amplia con puertos de reflejo de bajos de disparo frontal
- Gabinete de fibra de nylon resistente a impactos ABS
- Asas superiores y laterales para facilitar su transporte.
- 2 canales de entrada con control de ganancia separado
- 1 entrada de micrófono XLR y 1 1/4"
- 1 entrada de línea XLR, 1 RCA y 1 1/8".
- Salida de mezcla
- Controles de ecualización alta y baja
- Alerta LED de clip
- Volable y montable en soporte



AS-15BLU-LT

FEATURES

- Vibrant beat-synced full color LED woofer light array
- On/off LED array control
- Integrated MP3 player with connections for USB, SD, and Bluetooth
- 2-way high power active PA speaker
- 2,000W peak Class AB built-in amplifier
- Impedance 4 Ohms
- 15" LF woofer with 2" voice coil
- Pure Titanium 1" HF compression driver
- Linear frequency response between 30Hz-20kHz
- Wide dispersion horn with forward firing bass reflex ports
- ABS impact resistant nylon fiber cabinet
- Top and side handles for easy carrying
- 2 Input channels with separate gain controls
- Mic and line XLR, 1/4", and RCA inputs
- High and Low equalization controls
- Mix Output
- Clip LED Alert
- Flyable and Stand mountable

CARACTERÍSTICAS

- Conjunto de luces de woofer LED a todo color vibrante y sincronizado
- Selección de LED de encendido/ apagado
- Reproductor de MP3 integrado con conexiones para USB, SD y Bluetooth
- Altavoz PA activo de 2 vías de alta potencia
- Amplificador incorporado de 2,000W pico clase AB
- Impedancia 4 ohmios
- Woofer de 15" LF con bobina de 2"
- Driver de compresión de titanio puro de 1" HF
- Respuesta de frecuencia lineal entre 30Hz-20kHz
- Bocina de dispersión amplia con puertos de reflejo de bajos de disparo frontal
- Gabinete de fibra de nylon resistente a impactos ABS
- Asas superiores y laterales para facilitar su transporte.
- 2 canales de entrada con controles de ganancia separados
- Entradas de micrófono y línea XLR, 1/4" y RCA
- Controles de ecualización alta y baja
- Salida de mezcla
- Alerta LED de clip
- Volable y montable en soporte



AS-P SERIES

FEATURES

Built to withstand every show: The AS-P Series is rugged enough to withstand the harshest of show environments with the unit being housed in an abs impact resistant nylon fiber cabinet. For easier travel, the unit features top and side handles for worry free carrying and the speaker is both flyable and stand mountable allowing you to get the most out of the unit. As an added layer of protection, the AS-P Series also utilizes a clip led alert designed to prevent overheating.

CARACTERÍSTICAS

Construido para soportar cada espectáculo: la serie AS-P es lo suficientemente resistente como para resistir los entornos de exposición más difíciles, con la unidad alojada en un gabinete de fibra de nylon resistente a los impactos de ABS. Para un viaje más fácil, la unidad cuenta con asas superiores y laterales para llevarla sin preocupaciones y el altavoz es volable y se puede montar en el soporte, lo que le permite sacar el máximo provecho de la unidad. Como una capa adicional de protección, la serie AS-P también utiliza una alerta de clip diseñada para evitar el sobrecalentamiento.



AS-15BLU Shown

10

FEATURES


AS-15P

AS-12P

AS-10P

AS-08P

Peak Power	2000W	1500W	1000W	500W
AMP Type	Class AB	Class AB	Class AB	Class AB
System Impedance	4 Ohms	4 Ohms	4 Ohms	4 Ohms
Woofer	15" with 2" Voice Coil	12" with 2" Voice Coil	10" with 1.2" Voice Coil	8" with 1.2" Voice Coil
Tweeter	1" Pure Titanium Compression	1" Pure Titanium Compression	1" Compression	1" Compression
Frequency Response	25Hz-19KHz	35Hz-20KHz	45Hz-19KHz	50Hz-19KHz
Mounting	Flyable and stand mountable	Flyable and stand mountable	Flyable and stand mountable	Flyable and stand mountable
Shipping Dimensions	18.90×15.55×29.13" (480×395×740 mm)	16.54×13.43×24.72" (420×341×628 mm)	13.98×11.62×21.46" (355×295×545 mm)	11.61×9.65×17.13" (295×245×435 mm)
Gross Weight	31.96 Lbs/14.5Kg	27.84 Lbs/12.63Kg	20.51 Lbs / 9.30Kg	15.43 Lbs/7Kg



ZRX-S15P

FEATURES

- Extreme Performance Powered Front Firing Subwoofer
- 15-inch High Excursion Driver with a 3-inch High Temperature Voice Coil
- 1,200 Watts of Continuous Class D Digital Power
- Hi Pass Filter
- Switchable Phase Control
- Master Volume Control
- Digital Signal limiter and LED indication
- Built in DSP Processing with 3 fixed modes - Live, Monitor, and DJ
- Line and Link in XLR Connectors
- XLR Output Connectors
- Multi-Voltage for Worldwide Use
- Includes Pole Mount and Side Handles

CARACTERÍSTICAS

- Subwoofer de disparo frontal de rendimiento extremo
- Controlador de alta excusión de 15 pulgadas con bobina de voz de alta temperatura de 3 pulgadas
- 1200 vatios de potencia digital continua de clase D
- Filtro de paso alto comutable
- Control de fase comutable
- Control de volumen maestro
- Limitador de señal digital e indicación LED
- Procesamiento DSP integrado con 3 modos fijos: Live, Monitor y DJ
- Conectores XLR de entrada de línea y enlace
- Conectores de salida XLR
- Multivoltaje para uso mundial
- Incluye montaje en poste y asas laterales



ZRX-S18P

FEATURES

- Extreme Performance Powered Front Firing Subwoofer
- 18" High Excursion Driver with a 3" High Temperature Voice Coil
- 1,600 Watts of Continuous Class D Digital Power
- Hi-Pass Filter
- Switchable Phase Control
- Master Volume Control
- Digital Signal limiter and LED indication
- Built in DSP Processing with 3 fixed modes - Live, Monitor, and DJ
- Line and Link in XLR Connectors
- XLR Output Connectors
- Multi-Voltage for Worldwide Use
- Includes Pole Mount and Side Handles

CARACTERÍSTICAS

- Subwoofer de disparo frontal de rendimiento extremo
- Controlador de alta excusión de 18" con bobina de voz de alta temperatura de 3"
- 1600 vatios de potencia digital continua de clase D
- Filtro de paso alto comutable
- Control de fase comutable
- Control de volumen maestro
- Limitador de señal digital e indicación LED
- Procesamiento DSP integrado con 3 modos fijos: Live, Monitor y DJ
- Conectores XLR de entrada de línea y enlace
- Conectores de salida XLR
- Multivoltaje para uso mundial
- Incluye montaje en poste y asas laterales



LRX-1204

FEATURES

- All-in-one Portable Line array Speaker System with 12" Subwoofer
- 600 watts RMS of onboard power
- Two Vertical arrays each with 4 x 4" high frequency compression drivers
- USB and Bluetooth playback
- Multiple adjustable array dispersion angles
- All cables and stands included

CARACTERÍSTICAS

- Sistema de altavoces portátiles todo en un con subwoofer de 12"
- 600 vatios RMS de potencia a bordo
- Dos matrices verticales cada una con controladores de compresión de alta frecuencia de 4 x 4"
- Reproducción de USB y Bluetooth
- Múltiples ángulos de dispersión de matriz ajustables
- Todos los cables y soportes incluidos



LRX-448

FEATURES

- All-in-one Portable Line array Speaker System with 12" Subwoofer
- 600 watts RMS of onboard power
- Quad Stacked line array on each side
- Each array features 4" Woofers and 1" high frequency compression drivers
- USB and Bluetooth playback
- Multiple adjustable array dispersion angles
- All cables and stands included

CARACTERÍSTICAS

- Sistema de altavoces portátiles todo en un con subwoofer de 12"
- 600 vatios RMS de potencia a bordo
- Arreglo lineal cuádruple apilado en cada lado
- Cada matriz cuenta con woofers de 4" y controladores de compresión de alta frecuencia de 1"
- Reproducción de USB y Bluetooth
- Múltiples ángulos de dispersión de matriz ajustables
- Todos los cables y soportes incluidos





ES-210MXBLU

FEATURES

- Ultra lightweight and extremely compact weighing only 40 lbs
- Integrated MP3 player with connections for USB, SD, and Bluetooth
- 2-way high power passive PA speaker
- 600W peak, 150W RMS Class D built-in amplifier
- 10" LF woofer with 2" voice coil
- Pure Titanium 1" HF compression driver
- Wide dispersion horn with forward firing bass reflex ports
- ABS impact resistant nylon fiber cabinet
- 8 channel powered mixer with on board digital echo effect
- Individual bass, treble, effects and volume controls for 4 line/mic inputs
- 1 microphone included
- 48V Phantom power for condenser microphones
- All needed cables included
- Top and side handles for easy carrying

CARACTERÍSTICAS

- Ultra ligero y extremadamente compacto que pesa solo 40 lbs.
- Reproductor de MP3 integrado con conexiones para USB, SD y Bluetooth
- Altavoz PA pasivo de 2 vías de alta potencia
- 600 W pico, 150 W RMS Clase D amplificador incorporado
- Woofer de 10" LF con bobina de 2"
- Driver de compresión de titanio puro de 1" HF
- Bocina de dispersión amplia con puertos de reflejo de bajos de disparo frontal
- Gabinete de fibra de nylon resistente a impactos ABS
- Mezclador de 8 canales con efecto de eco digital incorporado
- Controles individuales de graves, agudos, efectos y volumen para 4 entradas de línea / micrófono
- 1 micrófono incluido
- Alimentación fantasma de 48 V para micrófonos de condensador
- Todos los cables necesarios incluidos
- Asas superiores y laterales para facilitar su transporte.



ALSO AVAILABLE IN:
ES-210MXBLU-ST



GSW-T1500PK

FEATURES

- Rechargeable Battery Powered Fully Weatherproof Bluetooth PA Speaker with large 15" woofer
- 1,500 watts of peak power
- Simple front-facing control panel
- IPX4 Rating allows speaker to be used safely outdoors even when it is raining
- Beast Mode boosts the bass for even more sound
- Link to a second GSW-T1500PK with TWS Bluetooth Linking
- Microphone and Stand Included
- USB and FM Radio Playback
- Speaker Stand and Wired Microphone Included

CARACTERÍSTICAS

- Altavoz PA Bluetooth totalmente resistente a la intemperie, alimentado por batería recargable con woofer grande de 15 "
- 1500 vatios de potencia máxima
- Panel de control frontal simple
- La clasificación IPX4 permite que el altavoz se use de manera segura en exteriores incluso cuando está lloviendo
- Beast Mode aumenta los graves para obtener aún más sonido
- Enlace a un segundo GSW-T1500PK con enlace Bluetooth TWS
- Micrófono y soporte incluidos
- Reproducción de radio FM y USB
- Soporte de altavoz y micrófono con



ES-15TOGO

FEATURES

- Lightweight and compact, weighing only 35.26 lbs.
- Includes 2 VHF wireless microphones with dedicated volume controls.
- Integrated Bluetooth MP3 player with connections for USB and SD Card.
- 800W peak, 200W RMS built-in amplifier.
- ABS impact resistant nylon fiber cabinet.
- Volume, bass, treble, echo, and mic volume controls.
- (2) 1/4" Inputs, (1) 1/8" Input, and (1) RCA Input
- (1) RCA Mix Output.
- Wheels and trolley handle with top and side handles for easy transportation.
- Flyable and stand mountable

CARACTERÍSTICAS

- Ligero y compacto, con un peso de solo 35,26 libras.
- Incluye 2 micrófonos inalámbricos VHF con controles de volumen dedicados.
- Reproductor MP3 Bluetooth integrado con conexiones para USB y tarjeta SD.
- Amplificador incorporado de 800W pico, 200W RMS.
- Gabinete de fibra de nylon ABS resistente a impactos
- Controles de volumen, graves, agudos, eco y volumen del micrófono.
- (2) Entradas de 1/4", (1) Entrada de 1/8" y (1) Entrada RCA
- (1) Salida RCA Mix.
- Ruedas y asa de carro con asas superiores y laterales para facilitar el transporte.
- Volable y montable en soporte





KP-800PRO


PARTY CASTER

FEATURES

- Efficient, clean, class-D amp pumping out 160 watts peak of total power
- All-in-one Karaoke/PA system, perfect for live gigs, portable use and home entertainment
- High-quality 8" bass woofer, 3" high-frequency tweeter
- Vibrant speaker lights
- Bluetooth streaming
- USB input for video playback with full controls
- Separate USB record and device charge
- 1/8" auxiliary input
- Large display for easy viewing
- Two wireless microphone inputs with individual volume controls (microphones included)
- Two 1/4"/XLR mic/line inputs with individual volume controls
- Assignable DSP effects: Digital Echo, Delay, Repeat, Reverb for vocal enhancement.
- 14-step Digital Key Controller to transpose the key of microphone inputs
- Voice Cancel and Partner modes for canceling vocals from media
- Bass and Treble for precise audio adjustments for room tuning
- Outputs: 1/8" aux output with separate volume controls, 1 balanced audio (L/R XLR), HDMI output
- NTSC/PAL compatible

CARACTERÍSTICAS

- Amplificador de clase D eficiente, limpio que bombea un pico de 160 vatios de potencia total
- Sistema de Karaoke / PA todo en uno, perfecto para conciertos en vivo, uso portátil y entretenimiento en el hogar
- Woofer de graves de 8" de alta calidad, tweeter de alta frecuencia de 3"
- Luces de altavoz vibrantes
- Transmisión por Bluetooth
- Entrada USB para reproducción de video con controles completos
- Registro USB y carga del dispositivo separados
- Entrada auxiliar de 1/8"
- Pantalla grande para una fácil visualización
- Dos entradas de micrófono inalámbrico con controles de volumen individuales (micrófonos incluidos)
- Dos entradas de micrófono / línea de 1/4" / XLR con controles de volumen individuales
- Efectos DSP asignables: eco digital, retardo, repetición, reverberación para mejorar la voz.
- Controlador de clave digital de 14 pasos para transponer la clave de las entradas de micrófono
- Modos Voice Cancel y Partner para cancelar voces en archivos multimedia
- Graves y agudos para ajustes de audio precisos para harmonizar la habitación
- Salidas: salida auxiliar de 1/8" con controles de volumen separados, 1 audio balanceado (L / R XLR), salida HDMI
- Compatible con NTSC / PAL



16

GEM-12USB

AUDIO MIXER

FEATURES

- Premium Ultra-low Noise Analog 12-Channel Mixer
- 4 State Of The Art Mic Preamp with Phantom Power
- Bluetooth Streaming For Playback From Any Compatible Device
- Customize Your Sound With 16 Internal Effects Fx Send And Pan On Each Channel

CARACTERÍSTICAS

- Mezclador analógico premium de 12 canales de ruido ultrabajo
- 4 preamplificadores de micrófono de última generación con alimentación fantasma
- Streaming Bluetooth para reproducción desde cualquier dispositivo compatible
- Personaliza tu sonido con 16 efectos internos envío Fx y panoramización en cada canal

GEM-08USB

FEATURES

- Premium ultra-low noise analog 8-channel mixer
- Bluetooth streaming for playback from any compatible device
- 2 state of the art mic preamp with phantom power
- 3 band EQ per channel with dedicated volume control
- Customize your sound with dedicated delay control
- Headphone out with dedicated volume control

CARACTERÍSTICAS

- Mezclador de 8 canales analógico premium de ruido ultrabajo
- Streaming Bluetooth para reproducción desde cualquier dispositivo compatible
- Preamplificadores de micrófono de última generación con alimentación fantasma
- Ecualizador de 3 bandas por canal con control de volumen dedicado
- Personaliza tu sonido con control de retraso dedicado
- Salida de auriculares con control de volumen dedicado



GEM-05USB

FEATURES

- Premium Ultra-Low Noise Analog 5-Channel Mixer
- Bluetooth Streaming For Playback From Any Compatible Device
- State Of The Art Mic Preamp With Phantom Power
- 2 Band EQ With Dedicated Volume Control
- Customize Your Sound With Dedicated Delay Control
- Headphone Out With Dedicated Volume Control

CARACTERÍSTICAS

- Mezclador de 5 canales analógico premium de ruido ultrabajo
- Streaming Bluetooth para reproducción desde cualquier dispositivo compatible
- Preamplificador de micrófono de última generación con Phantom Power
- Ecualizador de 2 bandas con control de volumen dedicado
- Personalice su sonido con control de retraso dedicado
- Salida de auriculares con control de volumen dedicado



XGA SERIES

Clean, Reliable Power in a durable enclosure. If you demand professional amplification performance, the XGA Series is perfect for delivering pure, consistent wattage night after night, year in and year out! Brings watts of Instant Peak Power making it ideal for PA systems and DJ rigs. We've designed this with our patented front to rear airflow technology powered by a variable speed thermal stabilizer to guarantee seamless, reliable performance every single night! Our XGA Series offers clean, dependable power in a lightweight body at an unmatched value.



XGA-5000

- 5,000 Watt IPP* High Power output to drive professional loudspeakers without clipping
- Front-to-rear airflow and cooling fan for thermal stability and reliability
- XLR and ¼" (6.5mm Jack) balanced and RCA unbalanced inputs
- Limiter circuit switch for amp output protection
- Stereo and Mono Bridge
- Variable speed fan for low noise
- Comprehensive front panel indicators including signal, clip, protect and bridge
- 3 Speakon outputs for Channels A/B/Bridge
- 5-way binding banana plug channel outputs
- Bridge control switch

XGA-4000

- 4,000 Watt IPP* High Power output to drive professional loudspeakers without clipping
- Front-to-rear airflow and cooling fan for thermal stability and reliability
- XLR and ¼" (6.5mm Jack) balanced and RCA unbalanced inputs
- Limiter circuit switch for amp output protection
- Stereo and Mono Bridge
- Variable speed fan for low noise
- Comprehensive front panel indicators including signal, clip, protect and bridge
- 3 Speakon outputs for Channels A/B/Bridge
- 5-way binding banana plug channel outputs
- Bridge control switch

XGA-3000

- 3,000 Watt IPP* High Power output to drive professional loudspeakers without clipping
- Front-to-rear airflow and cooling fan for thermal stability and reliability
- XLR and ¼" (6.5mm Jack) balanced and RCA unbalanced inputs
- Limiter circuit switch for amp output protection
- Stereo and Mono Bridge
- Variable speed fan for low noise
- Comprehensive front panel indicators including signal, clip, protect and bridge
- 3 Speakon outputs for Channels A/B/Bridge
- 5-way binding banana plug channel outputs
- Bridge control switch

XGA-2000

- 2,000 Watt IPP* High Power output to drive professional loudspeakers without clipping
- Front-to-rear airflow and cooling fan for thermal stability and reliability
- XLR and ¼" (6.5mm Jack) balanced inputs
- Stereo and Mono Bridge
- Variable speed fan for low noise
- Comprehensive front panel indicators including signal, clip, protect and bridge
- 3 Speakon outputs for Channels A/B/Bridge
- 5-way binding banana plug channel outputs
- Bridge control switch

UHF-6200M

FEATURES

- UHF high band dual channel receiver with multi selectable frequencies
- Ultra-fast microcomputer controlled PLL oscillation circuit
- Dual Handheld Microphones that have a Dynamic Operating Range Of 150 Feet, Rugged Yet Lightweight Design Of The Microphone
- Advance compression circuit avoiding unwanted noise
- Hassle free automatic transmitter setup via SYNC button
- High quality LCD display provides for flawless operation (display group, channel no, RF and AF levels)
- Full range rotary volume control
- 240° dynamic operating range
- Individual balanced XLR outputs
- Mixed ¼" output jack
- MIC/LINE output selector switch
- Rugged belt pack transmitter with LCD screen (display group, channel number, and battery power)

RECEIVER

FREQUENCY RANGE:

CARACTERÍSTICAS

- Receptor de doble canal de banda alta UHF con múltiples frecuencias seleccionables
- Circuito de oscilación PLL ultrarrápido controlado por microordenador
- Micrófonos duales de mano que tienen un rango de funcionamiento dinámico de 150 pies, diseño resistente pero liviano del micrófono
- Circuito de compresión avanzado que evita ruidos no deseados
- Configuración automática del transmisor sin problemas mediante el botón SYNC
- La pantalla LCD de alta calidad proporciona un funcionamiento impecable (grupo de visualización, número de canal, niveles de RF y AF)
- Control giratorio de volumen de rango completo
- Rango operativo dinámico de 240 °
- Salidas XLR balanceadas individuales
- Toma de salida mixta de ¼ "
- Selector de salida MIC / LINE
- Transmisor de petaca resistente con pantalla LCD (grupo de visualización, número de canal y energía de la batería)

USA-R2: 512MHz to 537.5MHz

EU-R3: 852MHz to 865MHz



UHF-6000HHM SHOWN

UHF-6200HL

FEATURES

- UHF high band single channel receiver with multi selectable frequencies
- Ultra-fast microcomputer controlled PLL oscillation circuit
- Includes Two Headset Lavalier Microphones
- Dynamic operating range of 100 Feet
- Advance compression circuit avoiding unwanted noise
- Hassle free automatic transmitter setup via SYNC button
- High quality LCD display provides for flawless operation (display group, channel no, RF and AF levels)
- Full range rotary volume control
- 240° dynamic operating range
- Individual balanced XLR outputs
- Mixed ¼" output jack
- MIC/LINE output selector switch
- Rugged belt pack transmitter with LCD screen (display group, channel number, and battery power)

RECEIVER

FREQUENCY RANGE:

CARACTERÍSTICAS

- Receptor de canal único de banda alta UHF con múltiples frecuencias seleccionables
- Circuito de oscilación PLL controlado por microordenador ultrarrápido
- Incluye dos micrófonos Lavalier de diadema
- Rango de funcionamiento dinámico de 100 pies
- Circuito de compresión avanzado que evita ruidos no deseados
- Configuración del transmisor automático sin problemas mediante el botón SYNC
- La pantalla LCD de alta calidad proporciona un funcionamiento perfecto (grupo de pantalla, número de canal, niveles de RF y AF)
- Control giratorio de volumen de rango completo
- Rango de funcionamiento dinámico de 240 °
- Salidas XLR balanceadas individuales
- Toma de salida mixta de ¼ "
- Interruptor selector de salida MIC / LINE
- Transmisor de paquete de correa resistente con pantalla LCD (grupo de visualización, número de canal y batería)

USA-R2: 512MHz to 537.5MHz

EU-R3: 852MHz to 865MHz



HSL-6000 SHOWN



UHF-6000BP SHOWN

UHF-6100M

FEATURES

- UHF high band single channel receiver with multi selectable frequencies
- Ultra-fast microcomputer controlled PLL oscillation circuit
- Includes a Handheld Microphone that is rugged yet lightweight
- Dynamic operating range of 150 Feet/Advance compression circuit avoiding unwanted noise
- Hassle free automatic transmitter setup via SYNC button
- High quality LCD display provides for flawless operation (display group, channel no, RF and AF levels)
- Full range rotary volume control
- 240' dynamic operating range
- Individual balanced XLR outputs
- Mixed 1/4" output jack
- MIC/LINE output selector switch
- Rugged belt pack transmitter with LCD screen (display group, channel number, and battery power)

RECEIVER

FREQUENCY RANGE:

CARACTERÍSTICAS

- Receptor de canal único de banda alta UHF con múltiples frecuencias seleccionables
- Circuito de oscilación PLL controlado por microordenador ultrarrápido
- Incluye un micrófono de mano que es resistente pero liviano
- Rango operativo dinámico de 150
- Circuito de compresión avanzado que evita ruidos no deseados
- Configuración del transmisor automático sin problemas mediante el botón SYNC
- La pantalla LCD de alta calidad proporciona un funcionamiento perfecto (grupo de pantalla, número de canal, niveles de RF y AF)
- Control giratorio de volumen de rango completo
- Rango de funcionamiento dinámico de 240'
- Salidas XLR balanceadas individuales
- Toma de salida mixta de 1/4"
- Interruptor selector de salida MIC / LINE
- Transmisor de paquete de correa resistente con pantalla LCD (grupo de visualización, número de canal y batería)

USA-R2: 512MHz to 537.5MHz

EU-R3: 852MHz to 865MHz



UHF-6000HHM SHOWN

UHF-6100HL

FEATURES

- UHF high band single channel receiver with multi selectable frequencies from 600-960 MHz
- Ultra-fast microcomputer controlled PLL oscillation circuit
- Includes a Headset Lavalier Microphone
- Dynamic operating range of 100 Feet/Advance compression circuit avoiding unwanted noise
- Hassle free automatic transmitter setup via SYNC button
- High quality LCD display provides for flawless operation (display group, channel no, RF and AF levels)
- Full range rotary volume control
- 240' dynamic operating range
- Individual balanced XLR outputs
- Mixed 1/4" output jack
- MIC/LINE output selector switch
- Rugged belt pack transmitter with LCD screen (display group, channel number, and battery power)

RECEIVER

FREQUENCY RANGE:

CARACTERÍSTICAS

- Receptor de un solo canal de banda alta UHF con frecuencias multiseleccionables de 600-960 MHz
- Circuito de oscilación PLL controlado por microordenador ultrarrápido
- Incluye un micrófono Lavalier de diadema
- Rango operativo dinámico de 100
- Circuito de compresión avanzado que evita ruidos no deseados
- Configuración del transmisor automático sin problemas mediante el botón SYNC
- La pantalla LCD de alta calidad proporciona un funcionamiento perfecto (grupo de pantalla, número de canal, niveles de RF y AF)
- Control giratorio de volumen de rango completo
- Rango de funcionamiento dinámico de 240'
- Salidas XLR balanceadas individuales
- Toma de salida mixta de 1/4"
- Interruptor selector de salida MIC / LINE
- Transmisor de paquete de correa resistente con pantalla LCD (grupo de visualización, número de canal y batería)



HSL-6000 SHOWN

USA-R2: 512MHz to 537.5MHz

EU-R3: 852MHz to 865MHz

RECEIVER

FREQUENCY RANGE:



UHF-6000BP SHOWN

UHF-04M

FEATURES

- Superior quality (quad channel) UHF receiver
- 150' dynamic operating range
- Reliable frequency stability
- Independent quad channel volume rotary control for optimum output level adjustment for each individual microphone
- Super bright RF LED indicators for monitoring signal strength per channel
- Individual ¼" outputs for each microphone channel
- Mixed balanced XLR master output
- Mixed unbalanced ¼" master output
- "Pilotone & NoiseLock" individual channel squelch control designed specifically to prevent outside interference from affecting the receiver and causing unwanted noise in the wireless system.
- Unidirectional handheld dynamic microphones

CARACTERÍSTICAS

- Receptor UHF de calidad superior (cuatro canales)
- Rango de funcionamiento dinámico de 150 '
- Estabilidad de frecuencia confiable
- Control giratorio independiente del volumen de cuatro canales para un ajuste óptimo del nivel de salida para cada micrófono individual
- Indicadores LED RF super brillantes para monitorear la intensidad de la señal por canal
- Salidas individuales de ¼" para cada canal de micrófono
- Salida maestra XLR balanceada mixta
- Salida maestra mixta no balanceada de ¼"
- Control de silenciamiento de canal individual "Pilotone & NoiseLock" diseñado específicamente para evitar que la interferencia externa afecte al receptor y provoque ruidos no deseados en el sistema inalámbrico.
- Micrófonos dinámicos de mano unidireccionales



RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5, F3-533.7, F4-537.2, S12 - 517.6+521.5, S34 - 533.7+537.2EU-R3: 852MHz to 865MHz

EU/UK FREQ: F5-853.35, F6-856.35, F7-863.05, F8-864.75 S56 - 853.35+856.35, S78 - 863.05+864.75



UHF-10HHM SHOWN



UHF-04HL

FEATURES

- Superior quality (quad channel) UHF receiver
- 150' dynamic operating range
- Reliable frequency stability
- Independent quad channel volume rotary control for optimum output level adjustment for each individual microphone
- Super bright RF LED indicators for monitoring signal strength per channel
- Individual ¼" outputs for each microphone channel
- Mixed balanced XLR master output
- Mixed unbalanced ¼" master output
- Lightweight headset/lavalier microphones for hands free operation
- Rugged belt pack transmitters

CARACTERÍSTICAS

- Receptor UHF de calidad superior (cuatro canales)
- Rango de funcionamiento dinámico de 150 '
- Estabilidad de frecuencia confiable
- Control giratorio independiente del volumen de cuatro canales para un ajuste óptimo del nivel de salida para cada micrófono individual
- Indicadores LED RF super brillantes para monitorear la intensidad de la señal por canal
- Salidas individuales de ¼" para cada canal de micrófono
- Salida maestra XLR balanceada mixta
- Salida maestra mixta no balanceada de ¼"
- Auriculares livianos / micrófonos de solapa para operación manos libres
- Transmisores de paquete de correa resistente



RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5, F3-533.7, F4-537.2 S12 - 517.6+521.5, S34 - 533.7+537.2EU-R3: 852MHz to 865MHz

EU/UK FREQ: F5-853.35, F6-856.35, F7-863.05, F8-864.75 S56 - 853.35+856.35, S78 - 863.05+864.75



UHF-10BP SHOWN



HSL-10 SHOWN

UHF-02M

FEATURES

- Superior quality (dual channel) UHF receiver
- Dual unidirectional handheld dynamic microphones
- 150-foot dynamic operating range
- Reliable frequency stability
- Dual channel volume rotary control for optimum output
- Super bright RF LED indicators for monitoring signal strength per channel
- 1/4" unbalanced single output jack

CARACTERÍSTICAS

- Receptor UHF de calidad superior (dos canales)
- Micrófonos dinámicos de mano unidireccionales duales
- Rango de funcionamiento dinámico de 150 pies
- Estabilidad de frecuencia confiable
- Control giratorio de volumen de dos canales para una salida óptima
- Indicadores LED de RF súper brillantes para monitorear la intensidad de la señal por canal
- Toma de salida única no balanceada de 1/4 "

RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5, F3-533.7, F4-537.2 S12 - 517.6+521.5, S34 - 533.7+537.2EU-R3: 852MHz to 865MHz

EU/UK FREQ: F5-853.35, F6-856.35, F7-863.05, F8-864.75
S56 - 853.35+856.35, S78 - 863.05+864.75



UHF-10HHM SHOWN



UHF-02HL

FEATURES

- Superior quality (dual channel) UHF receiver
- Dual Headset Lavalier Microphones
- 150-foot dynamic operating range
- Reliable frequency stability
- Dual channel volume rotary control for optimum output
- Super bright RF LED indicators for monitoring signal strength per channel
- 1/4" unbalanced single output jack

CARACTERÍSTICAS

- Receptor UHF de calidad superior (dos canales)
- Micrófonos Lavalier de doble auricular
- Rango de funcionamiento dinámico de 150 pies
- Estabilidad de frecuencia confiable
- Control giratorio de volumen de dos canales para una salida óptima
- Indicadores LED de RF súper brillantes para monitorear la intensidad de la señal por canal
- Toma de salida única no balanceada de 1/4 "

RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5, F3-533.7, F4-537.2 S12 - 517.6+521.5, S34 - 533.7+537.2EU-R3: 852MHz to 865MHz

EU/UK FREQ: F5-853.35, F6-856.35, F7-863.05, F8-864.75
S56 - 853.35+856.35, S78 - 863.05+864.75



UHF-10HHM and HSL-10 SHOWN

UHF-01M

FEATURES

- Superior quality (single channel) UHF receiver
- Unidirectional handheld dynamic microphone
- 150-foot dynamic operating range
- Reliable frequency stability
- Single channel volume rotary control for optimum output
- Super bright RF LED indicators for monitoring signal strength
- 1/4" unbalanced single output jack

RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5 , F3-533.7, F4-537.2 S12 - 517.6+521.5, S34 - 533.7+537.2**EU-UK FREQ:** F5-853.35, F6-856.35, F7-863.05, F8-864.75

S56 - 853.35+856.35, S78 - 863.05+864.75

CARACTERÍSTICAS

- Receptor UHF de calidad superior (canal único)
- Micrófono dinámico de mano unidireccional
- Rango de funcionamiento dinámico de 150 pies
- Estabilidad de frecuencia confiable
- Control giratorio de volumen de un solo canal para una salida óptima
- Indicadores LED de RF super brillantes para monitorear la intensidad de la señal
- Toma de salida única no balanceada de 1/4 "



UHF-01HL

FEATURES

- Superior quality (single channel) UHF receiver
- Unidirectional Headset Lavalier Microphones
- 150-foot dynamic operating range
- Reliable frequency stability
- Single channel volume rotary control for optimum output
- Super bright RF LED indicators for monitoring signal strength
- 1/4" unbalanced single output jack

CARACTERÍSTICAS

- Receptor UHF de calidad superior (canal único)
- Micrófonos Lavaliere de diadema unidireccional
- Rango de funcionamiento dinámico de 150 pies
- Estabilidad de frecuencia confiable
- Control giratorio de volumen de un solo canal para una salida óptima
- Indicadores LED de RF super brillantes para monitorear la intensidad de la señal
- Toma de salida única no balanceada de 1/4 "



RECEIVER

FREQUENCY RANGE:

US-CA FREQ: F1-517.6, F2-521.5 , F3-533.7, F4-537.2 S12 - 517.6+521.5, S34 - 533.7+537.2**EU-UK FREQ:** F5-853.35, F6-856.35, F7-863.05, F8-864.75

S56 - 853.35+856.35, S78 - 863.05+864.75

23



UHF-10HHM SHOWN

HSL-10 Shown SHOWN



GTST-01

FEATURES

- A-Framed universal Guitar Stand with Secure Lock
- 2 foldable memory foam arms
- 1 soft rubber back

CARACTERÍSTICAS

- Soporte de guitarra universal en forma de A con bloqueo seguro
- 2 brazos de espuma viscoelástica plegables
- 1 respaldo de goma blanda



KYBST-01

FEATURES

- X-style Universal Keyboard stand
- 2 foldable memory foam arms
- Fold flat in less than 2 seconds

CARACTERÍSTICAS

- Soporte universal para teclado estilo X
- 2 brazos de espuma viscoelástica plegables
- Pliegue plano en menos de 2 segundos



MBST-01

FEATURES

- Adjustable stand for laptop and projectors
- Durable aluminum construction
- Lightweight construction

CARACTERÍSTICAS

- Soporte ajustable para laptop y proyectores
- Construcción de aluminio duradera
- Construcción ligera



PST-01

FEATURES

- Adjustable stand for microphones
- Durable aluminum construction
- Lightweight construction

CARACTERÍSTICAS

- Soporte ajustable para micrófonos
- Construcción de aluminio duradera
- Construcción ligera



ST-04

FEATURES

- The 38 mm diameter tubing is built with anodized steel for solid strength and durability.
- Can extend from 43"-74" to have superior listening experience every time.



ST-PACK

FEATURES

- Two speaker stands
- Each stand holds up to 200 pounds
- Made with stainless steel
- Comes with carry bag

CARACTERÍSTICAS

- Dos soportes de altavoz
- Cada soporte soporta hasta 200 libras
- Hecho con acero inoxidable
- Viene con bolsa de transporte



STL-500

FEATURES

- Speaker stand with Multi-Color LED tripod legs
- Multi-Color LED Tripod Base
- 22 Dynamic Modes and 20 Static Colors
- Remote for Multi-Color LED
- Adjustable Height from 3.6 ft to 6.1 Ft
- Weight capacity 60 lbs

25

CARACTERÍSTICAS

- Soporte de altavoz con patas de trípode LED multicolor
- Base de trípode LED multicolor
- 22 modos dinámicos y 20 colores estáticos
- Control remoto para LED multicolor
- Altura ajustable de 3.6 pies a 6.1 pies
- Capacidad de peso 60 lbs




gemini



DJ

- 26
- 27 **SOFTWARE**
- 28 **MEDIA PLAYERS**
- 34 **TURNTABLES**
- 36 **MIXERS**
- 39 **CONTROLLERS**
- 40 **HEADPHONES**



V-CASE

SOFTWARE

V-Case is the library preparation software for the Gemini Media Player line. It manages your music library, allows you to edit track metadata, set and edit the beat grid and hotcues, and create playlists.

FEATURES

- Importing music is easy. You can drag and drop tracks into the main library or a playlist
- Once you have tracks loaded into the library, you need to analyze those tracks in order to get data
- Information on the track, including artist and track name, key, waveform overview, time remaining and elapsed, and BPM
- Select one or more tracks, right click, and select CREATE PLAYLIST FROM SELECTION
- Smart Playlists are playlists that grab songs from your library based on rules you define. They can be an incredible way to organize your music.



SDJ-4000

PROFESSIONAL DUAL DECK USB MEDIA PLAYER

28



FEATURES

USB icon: Connect up to 6 External Devices And 2 Mics includes One Button Mix Recording to Attached USB Drive

Decks icon: 16 RGB Performance Pad Section with Large, High Resolution Platters and Pitch Faders

File icon: Supports Media Player, AAC, WAV, AND AIFF Formats

Screen icon: 7" TFT Display Shows All Other Necessary Info

CARACTERÍSTICAS

USB icon: Conecte hasta 6 dispositivos externos y 2 microfonos. Incluye un botón de grabación para mezclas en la unidad USB conectada


Decks icon: Panel de 16 botones de rendimiento RGB con grandes discos de alta resolución y faders de tono

File icon: Admite formatos de reproductor multimedia, AAC, WAV y AIFF

Screen icon: La pantalla TFT de 7" muestra toda la otra información necesaria

PRO DJ FEATURES

4-channel mixer, central color display, dual USB ports, and a totally embedded system with no computer or DJ software required.




MULTICOLOR PERFORMANCE PADS

With 8 multicolor performance pads on each side of the deck, the SDJ-4000 has more potential than ever to rock your crowd

LINK AND SYNC

Connect with up to 2 additional media players and use Link mode to share USB libraries and even sync external players.



V-CASE READY

Play pre-prepared V-CASE library with your SDJ-4000.

CDM-4000BT

FEATURES



- Audio CD, CD-R, and media player CD compatible
- Bluetooth Line Input
- 2-band EQ with gain control
- USB input for USB storage devices
- Anti-shock using RAM buffer memory
- Large blue-backlit LCD display
- Three selectable jog modes: Scratch, search, and pitch bend
- Fader-start capability
- Instant start and cue with preview
- Single and continuous play modes
- Rubber jog wheels with finger grips
- 1/4" and 1/8" headphone output
- XLR balanced outputs and 1/4" mic input
- Auxiliary inputs for line devices
- Variable pitch control with +/- 12% range
- One seamless loop per side with reloop
- Pitch bend via jog wheel or buttons: +/- 16%



CARACTERÍSTICAS

- Compatible con CD de audio, CD-R y reproductor multimedia
- Entrada de línea Bluetooth
- Equalizador de 2 bandas con control de ganancia
- Entrada USB para dispositivos de almacenamiento USB
- Antigolpes mediante memoria intermedia RAM
- Gran pantalla LCD con retroiluminación azul
- Tres modos de desplazamiento seleccionables: Scratch, búsqueda y pitch bend
- Capacidad de inicio con fader
- Inicio y cue instantáneos con vista previa
- Modos de reproducción individual y continua
- Ruedas jog de goma con agarraderas para los dedos
- Salida de auriculares de 1/4" y 1/8"
- Salidas XLR balanceadas y entrada de micrófono de 1/4"
- Entradas auxiliares para dispositivos de línea
- Control de tono variable con rango de +/- 12%
- Un bucle continuo por lado con reloop
- Pitch bend mediante la rueda de trabajo o los botones: +/- 16%



GMX

FEATURES



- High-resolution USB/MIDI software controller with built-in professional 24-bit PC/MAC audio interface
- Direct playback from a USB memory device of MP3 and WAV files
- 8 multifunction performance pads per deck
- Advanced tools including: Hot Cues, Auto and Manual loop, Reverse and Filter for each deck
- Variable pitch control with Master Tempo control and BPM Lock
- Touch-sensitive mechanical jog wheels
- 2-channel mixer with 3-band EQ and Gain control on each channel
- Front 1/4" microphone input with Gain control
- Balanced XLR & RCA master outputs, RCA booth output with dedicated volume control, front 1/8" and 1/4" headphone outputs
- High-contrast screens with adjustable waveform display

CARACTERÍSTICAS

- Controlador de software USB / MIDI de alta resolución con interfaz de audio PC / MAC profesional de 24 bits incorporada
- Reproducción directa desde un dispositivo de memoria USB de archivos MP3 y WAV
- 8 pads de rendimiento multifunción por plataforma
- Herramientas avanzadas que incluyen: Hot Cues, bucle automático y manual, reverso y filtro para cada plataforma
- Control de tono variable con control de tempo maestro y bloqueo de BPM
- Ruedas jog mecánicas sensibles al tacto
- Mezclador de 2 canales con equalizador de 3 bandas y control de ganancia en cada canal
- Entrada de micrófono frontal 1/4" con control de ganancia
- Salidas maestras balanceadas XLR y RCA, salida de cabina RCA con control de volumen dedicado, salidas de auriculares frontales 1/8" y 1/4"
- Pantallas de alto contraste con visualización de forma de onda ajustable



*VIRTUAL DJ LE
INCLUDED

CDMP-1500

FEATURES

- Slot-in CD/MP3 player
- Audio CD, CD-R & MP3 compatible
- Plays MP3 files from USB storage device
- Balanced XLR outputs, RCA Line output and Record output
- 1/4" front MIC input, rear Combo XLR and 1/4" MIC input
- IR Remote control
- Anti-shock using RAM buffer memory
- Auto BPM read out
- Instant-start & cue with preview
- Single & continuous play modes
- Pitch rotary knob
- Two mode time selection
- Frame accurate search

CARACTERÍSTICAS

- Reproductor de CD / MP3 con ranura
- Compatible con CD de audio, CD-R y MP3
- Reproduce archivos MP3 desde un dispositivo de almacenamiento USB
- Salidas XLR balanceadas, salida de línea RCA y salida de grabación
- Entrada MIC frontal de 1/4", Combo XLR posterior y entrada MIC de 1/4"
- Mando a distancia por infrarrojos
- Antigolpes mediante memoria intermedia RAM
- Lectura automática de BPM
- Inicio instantáneo y cue con vista previa
- Modos de reproducción individual y continua
- Botón giratorio de Pitch
- Selección de tiempo de dos modos
- Búsqueda precisa de fotogramas



CDX-2250i

FEATURES

- Audio CD, CD-R and MP3-CD compatible
- USB input for USB storage devices
- Anti-shock using RAM buffer memory
- Two selectable jog modes: Search & Pitch Bend
- Instant-start & Cue with Preview
- Single & Continuous play modes
- One seamless loop per side with reloop
- Pitch bend via jog wheel or buttons: +/- 16%
- Three mode time selection
- Frame accurate search
- Rubber jog wheels with finger grips
- Large blue-backlit LCD display
- Variable pitch control with a +/- 4, 8 & 12% range
- +10 track button for quick navigation
- Fully programmable with repeat function

CARACTERÍSTICAS

- Compatible con CD de audio, CD-R y MP3-CD
- Entrada USB para dispositivos de almacenamiento USB
- Antigolpes mediante memoria intermedia RAM
- Dos modos de jog seleccionables: búsqueda y inflexión de tono
- Inicio instantáneo y cue con vista previa
- Modos de reproducción individual y continua
- Un bucle continuo por lado con reloop
- Pitch bend a través de la rueda de selección o los botones: +/- 16%
- Selección de tiempo de tres modos
- Búsqueda precisa de fotogramas
- Ruedas jog de goma con agarreaderas para los dedos
- Gran pantalla LCD con retroiluminación azul
- Control de tono variable con un rango de +/- 4, 8 y 12%
- Botón de +10 pistas para una navegación rápida
- Totalmente programable con función de repetición





MDJ-900

PROFESSIONAL USB MEDIA PLAYER

32



FEATURES

- ➔ Flagship-quality USB Media Player
- ⟳ Extensive Auto-Looping
- 💻 MIDI Mode
- Ⓜ️ V-Case compatible
- /windows/ 4 Hot Cues
- ▬ 100mm Pitch Fader
- ♾ 8" Ultra-High Resolution Touch Platter

CARACTERÍSTICAS

- ➔ Reproductor multimedia USB de calidad insignia
- ⟳ Amplio bucle automático
- 💻 Modo MIDI
- Ⓜ️ Compatible con V-Case
- /windows/ 4 Hot Cues
- ▬ Pitch Fader de 100 mm
- ♾ Plato táctil de ultra alta resolución de 8"



MDJ-600

FEATURES

- Full-featured CD and USB media player with 4.3 in. color screen, moving waveform, and on-board search and analysis
- The 5 in. high-resolution touch platter is perfect for even the most demanding performance
- Manual and BPM-based auto looping makes it easy to create builds or extend breaks
- Four hotcues per track let you jump to that sample or drop with ease
- Loop roll adds complicated sounding stutter edits by pushing one button
- The 100 mm pitch fader and adjustable pitch ranges from 4%–100% let you mix with surgical precision
- Slip mode means you can use scratches or hotcues without ruining your mix
- Multiple platter modes available, including reverse play, vinyl, and stutter cue
- MIDI Mode turns your MDJ-600 into the ultimate platter controller, complete with on-screen deck info in Virtual DJ



CARACTERÍSTICAS

- Reproductor multimedia USB y de CD con todas las funciones con pantalla a color de 4,3 pulgadas, forma de onda en movimiento y búsqueda y análisis integrados
- El plato táctil de alta resolución de 5 pulgadas es perfecto incluso para el rendimiento más exigente
- El bucle automático manual y basado en BPM facilita la creación de compilaciones o la extensión de pausas
- Cuatro hotcues por pista le permiten saltar a esa muestra o soltarla con facilidad
- Loop roll agrega ediciones complicadas de tartamudeo al presionar un botón
- El fader de tono de 100 mm y los rangos de tono ajustable del 4% al 100% le permiten mezclar con precisión quirúrgica
- El modo de deslizamiento significa que puede usar scratches o hotcues sin arruinar su mezcla
- Múltiples modos de plato disponibles, que incluyen reproducción inversa, vinilo y tartamudeo
- El modo MIDI convierte su MDJ-600 en el controlador de plato definitivo, completo con información de plataforma en pantalla en Virtual DJ



MDJ-500

FEATURES

- Full-featured USB media player with 4.3" color screen, moving waveform, and onboard search and analysis.
- 5" high resolution touch platter is perfect for even the most demanding performance.
- Manual and BPM-based auto looping makes it easy to create builds or extend breaks.
- 4 hot cues per track let you jump to that sample or drop with ease.
- The 100mm pitch fader and adjustable pitch ranges from 4% to 100% let you mix with surgical precision.
- Slip Mode means you can use scratches or hot cues without ruining your mix.
- Multiple platter modes available, including reverse play, vinyl, and stutter cue.
- MIDI Mode turns your MDJ-500 into the ultimate platter controller - complete with on-screen deck info* (*in Virtual DJ)



CARACTERÍSTICAS

- Reproductor multimedia USB con todas las funciones con pantalla a color de 4.3" , forma de onda en movimiento y búsqueda y análisis integrados.
- El plato táctil de alta resolución de 5" es perfecto incluso para el rendimiento más exigente.
- El bucle automático manual y basado en BPM facilita la creación de compilaciones o la extensión de pausas.
- 4 hot cues por pista te permiten saltar a esa muestra o soltarla con facilidad.
- El fader de tono de 100 mm y los rangos de tono ajustable de 4% a 100% le permiten mezclar con precisión quirúrgica.
- El modo Slip significa que puedes usar scratches o hot cues sin arruinar tu mezcla.
- Múltiples modos de plato disponibles, incluyendo reproducción inversa, vinilo y tartamudeo.
- El modo MIDI convierte su MDJ-500 en el controlador de plato definitivo, completo con información de plataforma en pantalla * (* en Virtual DJ)

TT-4000



FEATURES

-  Sturdy construction with optimized damping features and shock absorbing feet
-  4.5 kg/cm direct-drive turntable enables higher torque with minimal wow and flutter
-  Record your vinyl collection to high-quality digital files by connecting your PC or Mac
-  Statically balanced S-shaped tone arm with hydraulic lift and anti-skating mechanism

34

CARACTERÍSTICAS

-  Construcción robusta con características de amortiguación optimizadas y pies amortiguadores
-  La plataforma giratoria de transmisión directa de 4,5 kg / cm permite una rotación más alta con un mínimo de fluctuaciones y vibraciones
-  Grabe su colección de vinilos en archivos digitales de alta calidad conectando su PC o Mac
-  Brazo de tono en forma de S equilibrado estáticamente con elevación hidráulica y mecanismo antideslizante

The Gemini TT-4000 direct-drive turntable features a redesigned chassis with reinforced housing construction. The TT-4000 uses a precision-engineered, die-cast aluminum platter for stable rotation. It's ideal for DJs, audiophiles and casual listeners alike. The 16-pole, 3-Phase brushless DC motor powers the TT-4000's direct-drive motor to instant start. The TT-4000 has precision pitch control +/- 10%. The turntable's powerful motor offers 33 1/3, 45, and 78 RPM speed options. A statically balanced S-shaped tonearm features hydraulic lift and an anti-skate mechanism. What sets this record player apart from most is its high-resolution USB connection. This enables you to record and digitize your vinyl albums very easily. Thanks to a built-in phono preamp allows for line level output, the TT-4000 doesn't require grounding.



TT-1100USB

USB BELT-DRIVE TURNTABLE



FEATURES

-  ABS enclosure and adjustable feet eliminate external vibrations
-  Connect out to virtually any speaker system with line-level RCA outputs
-  Convert vinyl to Digital by connecting the TT-1100USB to your PC or Mac
-  Fully adjustable tonearm counterweight, anti-skating, and motor on/off controls

CARACTERÍSTICAS

-  Caja de ABS y pies ajustables eliminan vibraciones externas
-  Conéctese a prácticamente cualquier sistema de altavoces con salidas RCA de nivel de línea
-  Convierta vinilo a digital conectando el TT-1100USB a su PC o Mac
-  Controles de contrapeso, antideslizamiento y encendido / apagado del motor totalmente ajustables.

ACCESSORIES AVAILABLE



HD-15 - TURNTABLE HEADSHELL



CN-15 - TURNTABLE CARTRIDGE




STYLUS-15 - TURNTABLE STYLUS



TL-15 - TURNTABLE TARGET LIGHT



HDCN-15 - TURNTABLE HEADSHELL WITH MOUNTED CARTRIDGE



PMX-20

DJ MIXER



36

FEATURES



4-Channel Flagship Digital DJ MIDI Mixer with dedicated 3 band EQ, Dual Pole Filter, Looping and Multiple Effects Control



Full complement of professional I/O, including balanced and unbalanced master output, effects send and return, booth output, recording output, and combo TRS/XLR mic input



USB/MIDI software controller with built-in professional 24-bit PC/MAC audio interface. Per-Channel FX Loop with Adjustable Pre/Post Fader Send



16 RGB Performance Pads with 8 on each side of the mixer provides on-point triggering of hot cues and samples for accuracy and feedback. Easily replaceable crossfader with compatibility for innoFADER

CARACTERÍSTICAS



Mezclador MIDI de DJ digital insignia de 4 canales con ecualizador de 3 bandas dedicado, filtro de doble polo, bucle y control de efectos múltiples



Complemento completo de I/O profesional, que incluye salida maestra balanceada y no balanceada, envío y retorno de efectos, salida de cabina, salida de grabación y entrada de micrófono combinada TRS / XLR



Controlador de software USB / MIDI con interfaz de audio PC / MAC profesional de 24 bits incorporada. Bucle de efectos por canal con envío pre / post fader ajustable



16 RGB Performance Pads con 8 en cada lado del mezclador proporcionan activación puntual de hot cues y muestras para mayor precisión y retroalimentación. Crossfader fácilmente reemplazable compatible con innoFADER



PMX-10

FEATURES

- Rugged all-metal chassis
- 16 multi-function RGB silicon pads (8 per side)
- XLR/1/4 combo jack microphone input
- 1/4" microphone input with gain control and talkover
- 2 Phono/Line stereo channels
- Dedicated MIDI controls for track selection/effects
- All controls also send MIDI out, making the PMX-10 an amazing mixer controller as well
- Full complement of professional I/O, including balanced samples and unbalanced master output, effects send and return, booth output, recording output, and combo TRS/XLR mic input
- Curve control on the crossfader
- Easily replaceable and removable crossfader – Innofader ready!

CARACTERÍSTICAS

- Chasis robusto totalmente metálico
- 16 almohadillas de silicona RGB multifunción (8 por lado)
- Entrada de micrófono con conector combinado XLR / 1/4
- Entrada de micrófono de 1/4" con control de ganancia y talkover
- 2 canales estéreo fono/línea
- Controles MIDI dedicados para selección de pistas, efectos
- Todos los controles también envían MIDI, lo que hace que el PMX-10 también sea un controlador de mezcla increíble
- Complemento completo de E / S profesionales, incluidas muestras balanceadas y salida maestra no balanceada, envío y retorno de efectos, salida de cabina, salida de grabación y entrada de micrófono combinada TRS / XLR
- Control de curva en el crossfader
- Crossfader fácilmente reemplazable y extraíble: ¡listo para Innofader!



MXR-01BT

FEATURES

- Rugged all-metal chassis
- Simple, easy to use layout
- 1/4" microphone input with dedicated volume control and EQ
- Multiple phono/line stereo channels allow up to 5 audio sources to be connected at once
- Balanced and unbalanced Master outputs
- Independently controlled Booth output
- VCA curve control and reverse switch on the crossfader
- Easily replaceable crossfader
- Built-in Bluetooth connectivity: wirelessly stream music from your smartphone/tablet directly to your mixer

CARACTERÍSTICAS

- Robusto chasis totalmente metálico
- Diseño simple y fácil de usar.
- Entrada de micrófono de 1/4" con control de volumen dedicado y ecualizador
- Múltiples canales estéreo de fono / línea permiten conectar hasta 5 fuentes de audio a la vez
- Salidas maestras balanceadas y no balanceadas
- Salida de cabina controlada independientemente
- Control de curva VCA e interruptor inverso en el crossfader
- Crossfader fácilmente reemplazable
- Conectividad Bluetooth incorporada: transmite música de forma inalámbrica desde su teléfono inteligente / tableta directamente a su mezclador





MM-1

FEATURES

- 6.5", 2-channel stereo mixer
- 2-line RCA inputs
- 2-band rotary EQ with Gain control
- Screwless bottom panel for unobstructed mixing
- Rotary Headphone Volume control
- Smooth cross fader
- ¼" headphone output
- ¼" microphone input with Volume control

CARACTERÍSTICAS

- Mezclador estéreo de 2 canales y 6.5 "
- Entradas RCA de 2 líneas
- Equalizador giratorio de 2 bandas con control de ganancia
- Panel inferior sin tornillos para una mezcla sin obstáculos
- Control de volumen de auriculares giratorio
- Fader cruzado suave
- Salida de auriculares de ¼"
- Entrada de micrófono de ¼ "con control de volumen



MM-1BT


FEATURES

- 6.5", 2-channel stereo mixer
- Built-in Bluetooth connectivity: wirelessly stream music from your smartphone/tablet directly to your mixer
- 2-line RCA inputs
- 2-band rotary EQ with Gain control
- Screwless bottom panel for unobstructed mixing
- Rotary Headphone Volume control
- Smooth cross fader
- ¼" headphone output
- ¼" microphone input with Volume control

CARACTERÍSTICAS

- Mezclador estéreo de 2 canales y 6.5 "
- Conectividad Bluetooth incorporada: transmite música de forma inalámbrica desde su teléfono inteligente / tableta directamente a su mezclador
- Entradas RCA de 2 líneas
- Equalizador giratorio de 2 bandas con control de ganancia
- Panel inferior sin tornillos para una mezcla sin obstáculos
- Control de volumen de auriculares giratorio
- Fader cruzado suave
- Salida de auriculares de ¼"
- Entrada de micrófono de ¼ "con control de volumen





G2V

FEATURES

- USB/MIDI software controller with built-in professional 24-bit PC/MAC audio interface
- 2-channel mixer with 3-band EQ, Gain, and Filter control on each channel
- Pre-mapped FX controls for Virtual DJ
- 8 multi-function pads and 4 rotary controls per deck
- Includes quick keys for Hot Cues, Auto-Loop, Sampler, and Manual Loop
- Touch-sensitive jog wheels
- Responsive controls with high-resolution 14-bit MIDI
- Midi mapping functionality over the entire controller
- Front 1/4" microphone input with Gain control
- Auxiliary RCA line input
- Balanced XLR & RCA master outputs, RCA booth output with dedicated volume control, and front 1/4" headphone output

CARACTERÍSTICAS

- Controlador de software USB / MIDI con interfaz de audio PC / MAC profesional de 24 bits incorporada
- Mezclador de 2 canales con ecualizador de 3 bandas, control de ganancia y filtro en cada canal
- Controles FX pre-mapeados para Virtual DJ
- 8 pads multifunción y 4 controles giratorios por deck
- Incluye teclas rápidas para Hot Cues, Auto-Loop, Sampler y Manual Loop
- Ruedas jog sensibles al tacto
- Controles receptivos con MIDI de 14 bits de alta resolución
- Funcionalidad de mapeo midi en todo el controlador
- Entrada de micrófono frontal de 1/4" con control de ganancia
- Entrada de línea auxiliar RCA
- Salidas maestras balanceadas XLR y RCA, salida de cabina RCA con control de volumen dedicado y salida de auriculares frontal de 1/4"



G4V

FEATURES

- USB/MIDI software controller with built-in professional 24-bit PC/MAC audio interface
- 4-channel mixer with 3-band EQ, Gain, and Filter control on each channel
- Pre-mapped FX controls for Virtual DJ
- 8 multi-function pads and 4 rotary controls per deck
- Includes quick keys for Hot Cues, Auto-Loop, Sampler, and Manual Loop
- Touch-sensitive jog wheels
- Responsive controls with high-resolution 14-bit MIDI
- Midi mapping functionality over the entire controller
- Front 1/4" microphone input with Gain control
- Auxiliary RCA line input
- Balanced XLR & RCA master outputs, RCA booth output with dedicated volume control, and front 1/4" headphone output

CARACTERÍSTICAS

- Controlador de software USB / MIDI con interfaz de audio PC / MAC profesional de 24 bits incorporada
- Mezclador de 4 canales con ecualizador de 3 bandas, control de ganancia y filtro en cada canal
- Controles FX pre-mapeados para Virtual DJ
- 8 pads multifunción y 4 controles giratorios por deck
- Incluye teclas rápidas para Hot Cues, Auto-Loop, Sampler y Manual Loop
- Ruedas jog sensibles al tacto
- Controles receptivos con MIDI de 14 bits de alta resolución
- Funcionalidad de mapeo midi en todo el controlador
- Entrada de micrófono frontal 1/4" con control de ganancia
- Entrada de línea auxiliar RCA
- Salidas maestras balanceadas XLR y RCA, salida de cabina RCA con control de volumen dedicado y salida de auriculares frontal de 1/4 "



DJX-1000

FEATURES

- Professional-grade, closed-back studio reference headphones.
- 53 mm dynamic drivers provide ultra-wide frequency response delivery, extended bass performance and detailed highs.
- Closed-back design ensures consistent listening environment with exceptional sound isolation.
- Provides natural speakers-like monitoring with spacious sound staging.
- Extremely-lightweight and comfortable for long studio sessions
- Cable connector: 1/8" and 1/4"
- Cable length: 157.5" (4000mm)



DJX-500

FEATURES

- Professional-grade, over-the-ear DJ monitor headphones.
- 57 mm dynamic drivers provide ultra-wide frequency response delivery extended bass performance and detailed highs.
- Reversible 90° horizontal and 180° vertical rotating joints.
- Soft-skin earcups and closed back reduce ambient noise.
- Extremely-lightweight and comfortable for long DJ sessions



DJX-200

FEATURES

- Professional-grade, over-the-ear DJ monitor headphones.
- 40 mm dynamic drivers provide ultra-wide frequency response delivery extended bass performance and detailed highs.
- Soft-skin earcups and closed back reduce ambient noise.
- Extremely-lightweight and comfortable for long DJ sessions




AVAILABLE IN BLACK & WHITE

gemini



CONSUMER

- 42 SPEAKER PACKAGES
- 43 SPEAKER SYSTEMS
- 44 PORTABLE SPEAKERS
- 47 KARAOKE SYSTEMS
- 49 DJ SYSTEMS
- 50 HOME BLUETOOTH SPEAKERS
- 52 PARTY SYSTEMS
- 55 RECORD PLAYERS



AS-15BLU-LT-PK

SPEAKER PACKAGES

42

FEATURES



Vibrant beat-synced full color LED 15" woofer light array with Speaker stand and microphone included



Integrated MP3 player with Bluetooth, USB, SD, and FM Playback



2,000W peak Class AB built-in amplifier



15" LF woofer with 2" voice coil



CARACTERÍSTICAS



Conjunto de luces de woofer de LED de 15" a todo color vibrantes sincronizadas con el ritmo con soporte para altavoz y micrófono incluidos



Reproductor MP3 integrado con reproducción de Bluetooth, USB, SD y FM



Amplificador incorporado de 2,000W pico clase AB



Woofer de 15" LF con bobina de 2"

AS-15BLU-PK

FEATURES

- Integrated MP3 player with connections for USB, SD, and Bluetooth
- 2-way high power active PA speaker
- 2000W peak Class AB built-in amplifier
- Impedance 4 Ohms
- 15-inch LF woofer with 2-inch voice coil
- Pure Titanium 1-inch HF compression driver
- Linear frequency response between 50Hz-20 KHz
- Wide dispersion horn with forward firing bass reflex ports
- ABS impact resistant nylon fiber cabinet
- Top and side handles for easy carrying
- 2 Input channels with separate gain controls
- Mic and line XLR, 1/4 inch, and RCA inputs
- High and Low equalization controls
- Mix Output
- Clip LED Alert
- Flyable and Stand mountable
- Heavy duty adjustable speaker stand with steel tubing
- Super-cardioid dynamic microphone with XLR cable



CARACTERÍSTICAS

- Reproductor MP3 integrado con conexiones para USB, SD y Bluetooth
- Altavoz PA activo de 2 vías de alta potencia
- Amplificador incorporado de clase AB pico de 2000 W
- Impedancia 4 ohmios
- Woofer LF de 15 pulgadas con bobina móvil de 2 pulgadas
- Controlador de compresión HF de titanio puro de 1 pulgada
- Respuesta de frecuencia lineal entre 50Hz-20 KHz
- Bocina de amplia dispersión con puertos bass reflex de disparo hacia adelante
- Gabinete de fibra de nailon resistente a impactos ABS
- Asas superiores y laterales para facilitar su transporte
- 2 canales de entrada con controles de ganancia separados
- Entradas de micrófono y línea XLR, 1/4 de pulgada y RCA
- Controles de ecualización alta y baja
- Salida de mezcla
- Alerta LED de clip
- Volable y montable en soporte
- Soporte de altavoz ajustable de alta resistencia con tubo de acero
- Micrófono dinámico supercardioide con cable XLR

PA-SYS15

FEATURES

- Complete Dual-Speaker PA Package
- The PASYS15 package is the perfect way to get started in sound reinforcement
- 2,000W Peak Class AB Amplifier
- 15" Low Frequency and 1" Titanium High Frequency Drivers the high excursion woofer and crystal-clear tweeter provide a linear response from 30Hz to 20KHz
- Integrated MP3 Player with USB and SD Card
- Play your own digital music files from a compact USB drive or an SD card
- Play your music from any compatible mobile device
- Includes Mix Output, Equalizer, Mic, Line, RCA, and Aux inputs
- Easy to Carry, Durable Enclosure Tough ABS nylon fiber cabinet with top and side handles make transport easy
- The PASYS15 can be flown or stand mounted for ultimate flexibility



CARACTERÍSTICAS

- Paquete PA completo de doble altavoz
- El paquete PASYS15 es la manera perfecta de iniciarse en el refuerzo de sonido.
- Amplificador con pico de 2.000W clase AB
- Los controladores de 15" de baja frecuencia y 1" de titanio de alta frecuencia, el woofer de alta excursión y el tweeter transparente proporcionan una respuesta lineal de 30Hz a 20KHz
- Reproductor de MP3 integrado con USB y tarjeta SD
- Reproduzca sus propios archivos de música digital desde una unidad USB compacta o una tarjeta SD
- Reproduce tu música desde cualquier dispositivo móvil compatible
- Incluye salidas de mezcla, ecualizador, micrófono, línea, RCA y entradas auxiliares
- Carcasa duradera y fácil de transportar el resistente gabinete de fibra de nylon ABS con asas superiores y laterales facilita el transporte
- El PASYS15 se puede volar o montar en soporte para una flexibilidad máxima



44

GSX-L2515BTB

PORTABLE SPEAKER

FEATURES

- 2,000 Watts Peak Power (PMPO) through dual 15" woofers for big, powerful, and clear sound.
- Wired Microphone included with echo control ability. Remote control included.
- Wirelessly stream music from any Bluetooth device. Play music with built-in USB port, TF Card slot and AUX input. Built-in FM radio with external antenna support.
- Long lasting battery powered speaker with USB charge port.

CARACTERÍSTICAS

- Potencia máxima de 2,000 vatios (PMPO) a través dewoofers duales de 15" para un sonido grande, potente y claro.
- Micrófono con cable incluido con capacidad de control de eco. Mando a distancia incluido.
- Transmite música de forma inalámbrica desde cualquier dispositivo Bluetooth. Reproduce música con puerto USB incorporado, ranura para tarjeta TF y entrada AUX. Radio FM incorporada con soporte de antena externa.
- Altavoz con batería de larga duración con puerto de carga USB.



REMOTE & MICRÓPHONE INCLUDED

AS TO GO SERIES



AS-15TOGO

- Advanced, multi-format media player reads your music files on USB drives, SD cards, or Bluetooth
- Built-in 2000W peak amplifier for incredible audio quality
- Long Lasting Battery Powered Loudspeaker with easy-access battery meter and charge ports
- Linear frequency response between 40Hz-20Hz
- Inputs and volume controls for a wired mic, guitar, and line level sources
- Dual band EQ and built-in echo effect for studio-quality sound
- Piezo high-frequency compression driver for clear, sparkling highs
- Wired Microphone Included

AS-12TOGO


- Advanced, multi-format media player reads your music files on USB drives, SD cards, or Bluetooth
- Built-in 1500W peak amplifier for incredible audio quality
- Long Lasting Battery Powered Loudspeaker with easy-access battery meter and charge ports
- Flat frequency response between 40Hz-20Hz
- Inputs and volume controls for a wired mic, guitar, and line level sources
- Dual band EQ and built-in echo effect for studio-quality sound
- Piezo high-frequency compression driver for clear, sparkling highs
- Wired Microphone Included

AS-10TOGO

- Advanced, multi-format media player reads your music files on USB drives, SD cards, or Bluetooth
- Built-in 1000W peak amplifier for incredible audio quality
- Long Lasting Battery Powered Loudspeaker with easy-access battery meter and charge ports
- Linear frequency response between 50Hz-20Hz
- Inputs and volume controls for a wired mic, guitar, and line level sources
- Dual band EQ and built-in echo effect for studio-quality sound
- Piezo high-frequency compression driver for clear, sparkling highs
- Wired Microphone Included

AS-08TOGO

- Advanced, multi-format media player reads your music files on USB drives, SD cards, or Bluetooth
- Built-in 500W peak amplifier for pristine audio quality
- Long Lasting Battery Powered Loudspeaker with easy-access battery meter and charge ports
- Linear frequency response between 50Hz-20Hz for the most accurate listening experience
- Inputs and volume controls for a wired microphone and a line level source
- Piezo high-frequency compression driver for clear, sparkling highs
- Wired Microphone Included



GC-206BTB

FEATURES

- Wireless stream music from any Bluetooth device
- Play music from any storage device with built-in USB port, micro SD Card slot and AUX input
- Built-in FM radio with internal antenna
- 500 Watts Peak Power (PMPO) through dual 6.5" woofers for big, powerful, clear sound
- Long lasting battery powered speaker with USB charge port
- Wired Microphone included with microphone echo control
- USB charging cable included for charging battery or playing
- Remote control included

CARACTERÍSTICAS

- Transmisión inalámbrica de música desde cualquier dispositivo Bluetooth
- Reproduzca música desde cualquier dispositivo de almacenamiento con puerto USB incorporado, ranura para tarjeta micro SD y entrada AUX
- Radio FM incorporada con antena interna
- Potencia máxima de 500 vatios (PMPO) a través de woofers duales de 6.5" para un sonido grande, potente y claro
- Altavoz con batería de larga duración con puerto de carga USB
- Micrófono con cable incluido con control de eco del micrófono
- Cable de carga USB incluido para cargar la batería o reproducción
- Control remoto incluido





MPA-2400

FEATURES

46

- Built-in Rechargeable Battery
- 240 Watts peak power
- Media player with USB/Bluetooth/FM
- Waterproof IPX4
- Trolley with Retractable handle and wheels for easy transport
- DSP - Digital signal processing with preset modes
- LED Display
- Bass & Treble Controls
- Multi-color LED lighting with remote control
- 10" Woofer with 20oz magnet and 1" voice coil

CARACTERÍSTICAS

- Batería recargable incorporada
- 240 Watts de potencia máxima
- Reproductor multimedia con USB/Bluetooth/FM
- IPX4 impermeable
- Carro con asa retráctil y ruedas para facilitar su transporte
- DSP - Procesamiento de señal digital con modos preestablecidos
- Pantalla LED
- Controles de graves y agudos
- Iluminación LED multicolor con mando a distancia
- Woofer de 10" con imán de 20 oz y bobina móvil de 1"

AVAILABLE IN

DISPONIBLE EN

GRAY
BLUE

GRIS
AZUL



MPA-K650

FEATURES

- 30-Watt Portable Bluetooth LED Speaker with 6.5" Woofer
- LED Speaker Panel/Disco Ball With On/Off
- 7.4v2000mah Lithium Battery W/ Charging Indicator
- Mic Input With Volume And Echo Controls
- Guitar Input
- 6 DSP Modes
- Shoulder Carry Strap
- USB Cord for Charging/Playback

CARACTERÍSTICAS

- Bocinas LED Bluetooth portátil de 30 Watts con woofer de 6.5 "
- Panel de altavoces LED / bola de discoteca con encendido / apagado
- Batería de litio de 7.4v2000mah con indicador de carga
- Entrada de micrófono con controles de volumen y eco
- Entrada de guitarra
- 6 modos DSP
- Correa de hombro
- Cable USB para carga / reproducción



GPK-800

FEATURES

- 2,400 Watts Karaoke Party System
- 8" Bass Woofer, 2 X 2" Hf Tweeters
- 8 DJ Background Effect
- Bass booster control
- 3 Professional DJ Effect control (White flash/Bass Breath light effect/Disco Light)
- Microphone
- Mic rising-falling tone control
- Mic Priority Control/Mic Vocal control
- Guitar input x 1/Guitar Volume control
- 4 Music Effect (Rock/POP/ Techno/Samba)
- BT Wireless Streaming / USB charging
- AUX Input/FM Radio Function
- Power Cord

CARACTERÍSTICAS

- Sistema de fiesta de karaoke de 2,400 vatios
- Bass Woofer de 8", Tweeters Hf de 2 X 2"
- 8 efectos de fondo de DJ
- Control de refuerzo de graves
- 3 controles de efectos de DJ profesional (flash blanco / efecto de luz Bass Breath / Disco Light)
- Micrófono
- Control de tono de subida y bajada del micrófono
- Control de prioridad de micrófono / control vocal de micrófono
- Entrada de guitarra x 1 / Control de volumen de guitarra
- 4 efectos musicales (Rock / POP / Techno / Samba)
- BT Wireless Streaming / carga USB
- Entrada AUX / Función de radio FM
- Cable de alimentación





REMOTE & MICROPHONE INCLUDED

GPK-1200

CONSUMER KARAOKE

48

FEATURES

 6,000 Watts Karaoke Party System Dual 12" Woofer, 2 X 3" Tweeters

 3 Professional DJ Effect control (White flash/Bass Breath light effect/Disco Light)

 Bluetooth Wireless Streaming, USB Playback, Aux Input, and FM Radio Playback

 MIC input x 2 with MIC Bass, treble, echo control, rising-falling tone, MIC Priority Control and MIC Vocal control

CARACTERÍSTICAS

 Sistema de fiesta de karaoke de 6,000 vatios Woofer dual de 12", tweeters de 2 X 3"

 3 controles de efectos de DJ profesional (flash blanco / efecto de luz Bass Breath / Disco Light)

 BT Wireless Streaming / Entrada USB / Carga USB Entrada AUX / Función de radio FM

 Entrada MIC x 2 con MIC graves, agudos, control de eco, tono ascendente y descendente, control de prioridad MIC y control vocal MIC



PNPDJ-4100BT

FEATURES

- All in one DJ bundle with our CDM-4000BT
- 2x 15" powered loudspeakers with USB/SD/BLUETOOTH with stands
- Professional DJ Headphones and Microphone included
- All necessary cables to get you going right out of the box!

CARACTERÍSTICAS

- Todo en un paquete de DJ con nuestro CDM-4000BT
- 2x 15" altavoces con USB / SD / BLUETOOTH con soportes
- Auriculares y micrófono profesionales para DJ incluidos
- ¡Todos los cables incluidos para que estés listo al desempacar!




PNPDJ-5200

FEATURES

- All in one DJ bundle with our G2V giving you the option to mix multiple music sources (standalone or software/MIDI)
- 2x AS-15BLU 2,000W powered loudspeakers with USB/SD/BLUETOOTH with stands
- Professional DJ Headphones and Microphone included
- All necessary cables to get you going right out of the box!

CARACTERÍSTICAS

- Todo en un solo paquete de DJ con el G2V que le da la opción de mezclar múltiples fuentes de música (software/MIDI o independiente)
- 2x altavoces AS-15BLU de 2.000W con USB/SD/BLUETOOTH con soportes
- Auriculares y micrófono profesionales para DJ incluidos
- ¡Todo lo necesario para que estés listo al desempacar!



BRS SERIES

Enjoy quality sound entertainment in the comfort of your home with this unique bluetooth bamboo speaker with suede siding. This speaker features a rechargeable in-built battery, usb playback and 3.5mm aux input.



50

BRS-430

- 35W RMS Handcrafted Bamboo Bluetooth Stereo Speaker
- Stream music wirelessly from any Bluetooth Device
- Built-in rechargeable battery
- Dual 3" High efficiency full range drivers
- Passive radiators use air pressure to move the driver and create more bass in a limited space.
- Quartz automatic motion analog clock
- Internal mic to use as speaker phone
- USB Playback and 5V USB Charging
- 3.5mm Aux Inputs

BRS-330

- 30W RMS Handcrafted Bamboo Bluetooth Stereo Speaker
- Stream music wirelessly from any Bluetooth Device
- Built-in rechargeable battery
- Dual 3" and single 2" High efficiency full range drivers
- Passive radiators use air pressure to move the driver and create more bass in a limited space.
- Internal mic to use as speaker phone
- USB Playback and 5V USB Charging
- 3.5mm Aux Inputs

BRS-230

- 30W RMS Handcrafted Bamboo Bluetooth Stereo Speaker
- Stream music wirelessly from any Bluetooth Device
- Built-in rechargeable battery
- Dual 3" High efficiency full range drivers
- Passive radiators use air pressure to move the driver and create more bass in a limited space.
- Internal mic to use as speaker phone
- USB Playback and 5V USB Charging
- 3.5mm Aux Inputs

BRS-130

- 12W RMS Handcrafted Bamboo Bluetooth Stereo Speaker
- Stream music wirelessly from any Bluetooth Device
- Built-in rechargeable battery
- 3" High efficiency full range driver
- Passive radiators use air pressure to move the driver and create more bass in a limited space.
- Internal mic to use as speaker phone
- USB Playback and 5V USB Charging
- 3.5mm Aux Inputs
- Pair two BRS-130s with TWS

GTR SERIES



Don't let its size fool you. GTR series features class D amplifiers that fuel its tweeters and subwoofer, for a sound that is nothing short of large. With a clean retro styling. Bass, treble and volume control allow you to sculpt your sound. Equipped with Bluetooth technology for wireless music play. Stream music from any Bluetooth device.



GTR-400

- 90 watt Class D amplifier with Large woofer and separate tweeter
- Bluetooth streaming
- Guitar/Mic input with separate volume control
- Treble, Bass and Reverb control
- EQ Guitar / Mic input control
- Auxiliary 3.5mm input
- Headphone output for monitor/foldback
- USB Record and Playback
- Rechargeable Lithium Battery for up to 10 hours of playtime

GTR-300

- 60 watt Class D amplifier with Large woofer and separate tweeter
- Bluetooth streaming
- Guitar/Mic input with separate volume control
- Treble, Bass and Reverb control
- EQ Guitar / Mic input control
- Auxiliary 3.5mm input
- Headphone output for monitor/foldback
- Rechargeable Lithium Battery for up to 10 hours of playtime

GTR-200

- 45 Watt Portable Bluetooth speaker
- Class D Amplifier with 2 speakers
- Bluetooth Streaming
- Master Volume control
- Treble and Bass controls
- Auxiliary 3.5mm input
- Battery playtime up to 8 hours
- Adaptor included for charging battery or playing

GTR-100

- 30 Watt Portable Bluetooth speaker
- Class D Amplifier with 2 speakers
- Bluetooth Streaming
- Master Volume control
- Treble and Bass controls
- Auxiliary 3.5mm input
- Battery playtime up to 8 hours
- Adaptor included for charging battery or playing

GSYS-4000

FEATURES

- Home Party System With Dual 12" Woofers & 2 X 4" Drivers
- Built-in Multi-color LED Woofers
- Built-in Media Player – Bluetooth, FM Radio, USB & SD Playback
- Mic/Guitar Input With Volume, Bass, Treble, & EQ Controls

CARACTERÍSTICAS

- Sistema Home Party con woofers dobles de 12" y controladores de 2 X 4"
- Woofers LED multi color incorporados
- Reproductor de medios incorporado - Bluetooth, radio FM, USB y reproducción SD
- Entrada de micrófono / guitarra con controles de volumen, graves, agudos y ecualización



GSYS-2000

FEATURES

- Home Party System With Dual 8" Woofers & 2 X 3" Drivers
- Built-in Multi-color LED Woofers
- Built-in Media Player – Bluetooth, FM Radio, USB & SD Playback
- Mic/Guitar Input With Volume, Bass, Treble, & EQ Controls

CARACTERÍSTICAS

- Sistema Home Party con woofers dobles de 8" y controladores de 2 X 3"
- Woofers LED multi color incorporados
- Reproductor de medios incorporado - Bluetooth, radio FM, USB y reproducción SD
- Entrada de micrófono / guitarra con controles de volumen, graves, agudos y ecualización





GMAX-6000

53

FEATURES

Dual 15" Woofers With 6" Drivers

MP3 Player With USB, SD, FM Radio, and Bluetooth

Microphone/Guitar Inputs

Built-in Multi-color LED Lightshow

CARACTERÍSTICAS

Woofers dobles de 15" con controladores de 6"

Reproductor de MP3 con USB, SD, radio FM y Bluetooth

Entradas de micrófono / guitarra

Luces de LED multicolor incorporadas



GLS-880

FEATURES

- Portable Party System with Dual 8" Woofers
- Adjustable Beat Synced Party Lights
- 1,000 Watts Peak Power
- Built-in Rechargeable Battery
- Built-in Media Player – Bluetooth, FM Radio, & USB
- Mic/Guitar Input With Volume, Bass, Treble, & EQ Controls
- TWS Pair to a 2nd GPS-880

CARACTERÍSTICAS

- Sistema de fiesta portátil con woofers dobles de 8 "
- Luces de fiesta sincronizadas con ritmo ajustable
- 1000 vatios de potencia máxima
- Batería recargable incorporada
- Reproductor multimedia integrado: Bluetooth, radio FM y USB
- Entrada de micrófono / guitarra con controles de volumen, graves, agudos y ecualizador
- Emparejamiento TWS a un segundo GPS-880



GLS-550

FEATURES

- Portable Party System with Dual 5" Woofers
- Adjustable Beat Synced Party Lights
- 800 Watts Peak Power
- Built-in Rechargeable Battery
- Built-in Media Player – Bluetooth, FM Radio, & USB
- Mic/Guitar Input With Volume, Bass, Treble, & EQ Controls
- TWS Pair to a 2nd GPS-550

CARACTERÍSTICAS

- Sistema de fiesta portátil con woofers dobles de 5 "
- Luces de fiesta sincronizadas con ritmo ajustable
- 800 vatios de potencia máxima
- Batería recargable incorporada
- Reproductor multimedia integrado: Bluetooth, radio FM y USB
- Entrada de micrófono / guitarra con controles de volumen, graves, agudos y ecualizador
- Emparejamiento TWS a un segundo GPS-550





TT-900BB



TT-900BW



TT-900BR



TT-900

TURNTABLE STEREO SYSTEM

FEATURES



Two 25 Watt 2-Way Bookshelf Stereo Speakers for a Total of 50 Watts



Designed to Play Vinyl Records at 33 1/3, 45 and 78 RPM on a 2 speed Automatic Belt Drive with Auto Stop



Includes a Ceramic Stereo Cartridge, Stylus and 45 RPM Adapter



3" Woofer and 1" Tweeter to Stream and Play with Confidence Using the RCA Output or Connect Via Bluetooth from Your Favorite Devices

CARACTERÍSTICAS



Dos altavoces estéreo de estantería bidireccional de 25 vatios para un total de 50 vatios



Diseñado para reproducir discos de vinilo a 33 1/3, 45 y 78 RPM en una transmisión automática por correa de 2 velocidades con parada automática



Incluye un cartucho estéreo de cerámica, lápiz y adaptador de 45 RPM



Woofer de 3" y Tweeter de 1" para transmitir y reproducir con confianza utilizando la salida RCA o conectarse a través de Bluetooth desde sus dispositivos favoritos

458 FLORIDA GROVE RD.
PERTH AMBOY, NJ 08861, USA

WWW.GEMINISOUND.COM



Gemini, Gemini DJ is a trademark of Innovative Concepts and Designs, LLC.
Bluetooth is a trademark of Bluetooth SIG.

Other stated company names, product names, technology names, etc. are the trademarks or registered trademarks of their respective companies.

Gemini stands behind their product line with a 1-year limited warranty. Lasers and cross faders have a 90-day limited warranty.

For larger images and detailed specs, visit our website at:
<http://www.geminisound.com>

GEMINI IS NOT RESPONSIBLE FOR ERRORS OR OMISSIONS.
WE RESERVE THE RIGHT TO CHANGE WITHOUT NOTICE.
PRODUCT ARTWORK IS SUBJECT TO CHANGE.
©2020 INNOVATIVE CONCEPTS